



ISSN 2534-9228 (online)

Journal of Scientific Papers

VUZF REVIEW

Volume 5, Issue 2, June 2020

Public organization :

**VUZF University of Finance, Business and
Entrepreneurship**



<https://papersvuzf.net/index.php/VUZF/>

Vol. 5, №2 June, 2020	Founded in 2016 by the VUZF University
The editorial board	
Editor of the publication	
Radostin Vazov	Assoc. Prof. PhD, VUZF;
Deputy Editor-in-Chief	
Ivan TKACH	Prof, Dr of Sciences, Ukraine;
Oleksandr Krupskiyi	Assoc. Prof., Candidate of Psychological Sciences, Ukraine;
Members of the editorial board	
Ali Veysel	Assoc. Prof. PhD, VUZF, Bulgaria;
Bisser Rainov	PhD, VUZF, Bulgaria;
Bojan Durankev	Bulgaria;
Desislava Josifova	Assoc. Prof. PhD, VUZF, Bulgaria;
Hans van Meerten	The Netherlands;
Igor Britchenko	Prof., Dr. of Economics, Bulgaria;
Irena Markova	Assoc. Prof. PhD, VUZF, Bulgaria;
Julia Dobрева	Assoc. Prof. PhD, VUZF, Bulgaria;
Jurgita Sekliuckiene	Litva;
Liudmila Bagdonienė	Litva;
Lubka Tsenova	Assoc. Prof. PhD, VUZF, Bulgaria;
Manyu Moravenov	Assoc. Prof. PhD, VUZF, Bulgaria;
Metodi Hristov	Prof. Dr. od Sc., VUZF, Bulgaria;
Mustafa Erdogan	Turkey
Ognjana Stoichkova	Prof. PhD, VUZF, Bulgaria;
Panagiotis Kontakos	Cyprus;
Radoslav Gabrovski	Prof. PhD, VUZF, Bulgaria;
Radostin Vazov	Assoc. Prof. PhD, VUZF, Bulgaria;
Reinhard Magenreuter	Germany;
Sava Grozdev	Prof. Dr. od Sc., VUZF, Bulgaria;
Snejana Basheva	Prof. PhD, VUZF, Bulgaria;
Stanislav Dimitrov	Assoc. Prof. PhD, VUZF, Bulgaria;
Tomasz Wnuk-Pel	Poland;
Virginia Zheljzskova	Prof. PhD, VUZF, Bulgaria;
Yakim Kitanov	Assoc. Prof. PhD, VUZF, Bulgaria;
Zheljo Hristozov,	Assoc. Prof. PhD, VUZF, Bulgaria;

e-mail: vuzfreview@gmail.com; tkachivan9@gmail.com

<https://papersvuzf.net/index.php/VUZF/index>, тел. +38(093) 752-81-56

The authors of articles are responsible for the authenticity of facts, quotes, their own names, geographical names, names of enterprises, organizations, institutions and other information. Opinions expressed in these articles may not coincide with the point of view of the editorial board and do not impose any obligations on it.

CONTENT		
1	Innovative logistics as a tool to increase the competitiveness of the polish construction industry Bohdan Cherniavskyi, Radostin Vazov	3
2	The key factors affecting the polish investment attractiveness for foreign investors Monika Artman, Tetiana Cherniavska	11
3	Quantitative methods in the field of economic sciences Maria Borowska	22
4	Financial Strategy Formulation and Implementation under Economic Uncertainty: Ukrainian companies' case Glib Aleksin	38
5	Quantitative analysis on interest group influence using data from EU open consultations Tatyana Todorova	48
6	Evaluation of the effectiveness of the internal control system of the institution using key performance indicators Anatolii Syrotenko, Ivan Tkach, Anatolii Loishyn, Mykola Tkach	55
7	Innovative component of Ukraine's military-technical cooperation with foreign states as an instrument of public-private partnership Ivan Ablazov, Denys Radov	64
8	Civil and environmental safety problems of the upper reaches of small mountain rivers (on the example of the Tysmenytsia River, Ukraine) Vasyl Karabyn, Yulia Rak, Vladyslav Shuryhin	71

Civil and environmental safety problems of the upper reaches of small mountain rivers (on the example of the Tysmenytsia River, Ukraine)

Yulia Rak ^A; Vasyl Karabyn ^B; Vladyslav Shuryhin ^C

Received: May 10, 2020 | Revised: June 23, 2020 | Accepted: June 30, 2020

JEL Classification: Q15, Q16, Q20.

DOI: 10.38188/2534-9228.20.2.08

Abstract

Small rivers are highly important elements of fresh water and sanitary-domestic supplies, local ecosystems functioning, thus they are essential for the environmental and civil safety of local areas. Chemical composition of the upper parts of rivers determines the chemical composition of waters downstream. The article represents the results of long-term researches of the Tysmenytsia upriver and its tributaries. The peculiarity of this area is its location within one of the oldest European oil recovery centers. According to the results of this research, the spatial changes of mineralization and the main components of chemical composition were established: the main ions, nitrogen compounds, petroleum products and phenols. The upper tributaries of the Tysmenytsia are characterized on average by hydrocarbonate calcium-magnesium composition with mineralization of 0,450 g/dm³, and the waters of the main river streambed by sulfate-hydrocarbonate sodium-calcium composition with mineralization of 0,207 g/dm³. The waters of the Tysmenytsia upper part on average contain nitrites (NO₂⁻) of 0.12–0.20 mg/dm³, nitrates (NO₃⁻) of 1.8–3.4 mg/dm³, ion ammonium (NH₄⁺) of 0.21– 0.24 mg/dm³, petroleum products of 0.27-0.66 mg/dm³, phenols of 0.007- 0.010 mg/dm³ and characterized by a COD value of 7.74-13.6 mgO₂/dm³. This article also provides explanation of spatial changes of chemical composition of waters, conducts comparison with the composition of other Carpathian mountain rivers. Analyzed waters refer to the 2nd class of water quality. Established facts and analysis of their causes are potent scientific base of forming civil protection measures and environmental safety of investigated areas.

Keywords: civil safety, environmental safety, mountain rivers, small rivers, nitrogen compounds, organic compounds.

Introduction

There are 63029 small rivers and waterways in Ukraine with the total length of 185800 km (Yatsyk A. V., 1991). The object of our research, the Tysmenytsia River, that flows into the Bystrytsia River (the right tributary of the Dnipro), the source of which is located in the Eastern Beskids, also falls under the small rivers category.

Preservation of the small rivers water quality

is a challenging task for any European country. Considerable pollution of waters of such rivers leads to reducing the level of environmental safety of the region and to the declaration of the emergency situation in case of stoppage of water supply to human settlements (Karabyn, V. V., 2000; Loboichenko V., 2018). Such situations have occurred in Carpathian region of Ukraine. In case of threat of the emergency situation on

^A Lviv State University of Life Safety, Ukraine, PhD student, e-mail: juliarak2100@gmail.com

^B Lviv State University of Life Safety, Ukraine, Doctor of Technical Sciences, Associate Professor, Head of the Educational and Scientific Institute, e-mail: vasyi.karabyn@gmail.com

^C Lviv State University of Life Safety, Ukraine, PhD student, e-mail: vlad_shurygin@ukr.net

small rivers, it is of utmost importance for the civil protection services and environmental safety to have high-quality hydrochemical models of these rivers in order to reliably predict the migration parameters of pollutants. The reason is that the change in concentration of pollutants depends not only on the composition and amount of pollutant but also in the composition of containing waters.

Municipal waters of adjacent settlements, as well as industrial and agricultural wastes enter the surface waters of the Tysmenytsa basin. The main industrial enterprises that pollute the

Tysmenytsia flows are: "Stebnyk Potassium Factory" Ltd., The JSC Automobile Cranes Plant Public Joint Stock Company in Drohobych, Polimineral State Mining and Chemical Enterprise, The JSC Engineering Plant Public Joint Stock Company in Drohobych, "Boryslavvodokanal" Municipal Enterprise (Ekolohichniy pasport, 2018).

The research is aimed at establishing the basic hydrochemical parameters of the Tysmenytsia River upper part so as to set up hydrochemical model of the small mountain river for civil and ecological safety.

Material and methods

2.1. The object of research. The object is the hydrochemical composition of The Tysmenytsia upriver, Carpathian region of Ukraine.

The source of the Tysmenytsia River, according to zoning schemes by Y. R. Hiletskyi, relates to natural-geographical subzone of the Ukrainian Beskids (Hiletskyi Y.R., 2012).

The territory of investigation is characterized by complex geological structure that is determined by location at the junction of ancient Eastern Europe platforms and the Carpathians. Within the researched area, according to decoding of aerospace images of various scales and space images, there is distinguished the Drohobych-Boryslav ring structure which is characterized by high density of rupture disturbances and localization of various deposits of minerals manifestations (Triska M. T., 2004).

In the stratigraphic aspect, the upper part of the Tysmenytsia River is situated in zone of access to the surface of the Stryiska suite rocks of the Cretaceous and Paleogene rocks. These strata are composed of rhythmic interbedding of sandstones, mudstones and siltstones and belong to the flysch formation. A characteristic feature of most rocks in the studied area are carbonate cement presence, which significantly affects the chemical composition of the underground and, to a lesser extent, surface water.

In the industrial aspect, the area of research is known as the Boryslav Petroleum Region, which is one of the oldest oil production areas in Europe, and oil has been extracted in the territory since the

IX century with the aid of pitsю In 1893, the drilling of wells was performed by cable way (Hayko H., 2009). As a result of almost a century and a half of oil production, the territory in the vicinity of Boryslav is covered with hundreds of oil wells, digs, wells, that created the preconditions for an ecological disaster.

2.2. Methodology. We have been performing monitoring researches to study waters and sediments of the upper part of the Tysmenytsia at 3 points of research and on 4 upper tributaries of the river since 2014. At these points, water samples were taken 4 times a year: in winter, spring, summer and autumn. Selections in winter and summer were carried out in the shortest period, and in spring and summer in the most high-water one.

Analytical studies were performed in the ecological safety laboratory in LSULS. The contents of chlorides (Cl^-) (Unyfityrovannye metody, 1987), hydrocarbonates (HCO_3^-) (Metodyka, KND 211.1.4.027-95), calcium (Ca^{2+}) (Unyfityrovannye metody, 1987) and magnesium (Mg^{2+}) (Unyfityrovannye metody, 1987) were detected with the help of the analysis by titration. In particular: chlorides – with silver nitrate in the presence of potassium chromate; hydrocarbonates – with hydrochloric acid in the presence of methyl orange; calcium and magnesium – with trilon B in the presence of murexide and black erichrome, respectively. Sulphates (SO_4^{2-}) were determined by weight method (barium nitrate sedimentation followed

by annealing the sediment) according to the Guiding Normative Document 211.1.4.026-95. The sodium (Na⁺) and potassium (K⁺) contents were calculated by the balance of equivalents. The other anions (nitrates (NO₃⁻) (Metodyka, KND 211.1.4.027-95) and nitrites (NO₂⁻) (Metodyka, KND 211.1.4.023-95) were determined by photolorimetric method, namely: nitrate content by interaction with sodium salicylate

solution in sulfuric acid medium; nitrite – with Griss reagent. Only soluble forms of ions were determined.

Laboratory data were compared with the TLV for water for sanitary and household use (Table 1), the limit values for water quality classes - sources of centralized drinking water supply in accordance with Ukrainian State Standard 4808: 2007 and Directive 98/83/EU. (Table 2).

Table – 1. The value of TLV in water for sanitary and household use for separate components:

Value	BOD ₅ mgO ₂ /dm ³	COD mgO ₂ /dm ³	Oil products mg/dm ³	Phenols mg/dm ³	NO ₂ mg/dm ³	NO ₃ mg/dm ³	NH ₄
TLV	3,0	15,0	0,3	0,001	0,5	50,0	2,0

Table – 2. Separate classification values of the surface waters quality

Value	Class of water quality			
	1	2	3	4
Oil products, mg/dm ³	<10	10-50	51-200	<200
Phenols, mg/dm ³	<0,001	0,001-0,01	0,011-0,050	>0,050
COD (dichromate), mgO ₂ /dm ³	<9,0	9,0 – 30,0	31,0-40,0	>40

Results and discussion

3.1. Changeability of the main ions contents.

The water of the Tysmenytsia upper part tributaries has mineralization from 0,138 g/dm³ to 0,310 g/dm³, the average value is 0,207 g/dm³. Somewhat higher values, particularly in one of the Tysmenytsia tributaries were obtained during its probable pollution due to drilling of oil and gas well Pivdennoboryslavska-1 in 2013 by P. I. Pavliuk and others (Pavluk M., 2016).

Upper tributaries of the Tysmenytsia are on average characterized by hydrocarbonate calcium-magnesium composition

$$M_{0,207} \frac{\text{HCO}_3 90 (\text{SO}_4 5 \text{Cl} 5)}{\text{Mg} 45 \text{Ca} 40 (\text{Na} + \text{K} 15)} pH_{8,2} \quad (1)$$

The waters of Tysmenytsia River in its upper part are characterized by mineralization from 0.360 g/dm³ to 0.585 g/dm³ with the average value of 0.450 g/dm³.

The chemical composition of water is mainly sulfate-hydrogen carbonate sodium-calcium:

$$M_{0,44} \frac{\text{HCO}_3 63 \text{SO}_4 28 (\text{Cl} 10)}{\text{Ca} 51 \text{Na} + \text{K} 36 (\text{Mg} 13)} pH_{7,1} \quad (2)$$

The waters of the upper tributaries are much less mineralized, have slight alkaline reaction and the composition differs from the waters of the Tysmenytsia upper part. That difference is related to the predominantly surface nutrition and small length of tributaries of this part of the river (up to 3 km). As a result, slightly mineralized (0,075 g/dm³) meteogenic waters of hydrocarbonate magnesium-calcium-sodium composition (Karabyn V. V., 2016) do not have time to react with rocks in order to increase their mineralization considerably. The length of the tributaries is simultaneously sufficient for the contact with clay on the surface which affects increases of these waters' pH (fig. 1).

The amount of dry residue recorded in the upper part of the Tysmenytsia River is slightly higher than in the upper Carpathian waters. For example, waters of the White Cheremosh River above the village Yablunytsia contain 0.305-0.319 g/dm³ of dry residue (Karabyn V. V., 2013),

waters of the Stryi river above the village Ilnyk contain 0.27–0.33 g/dm³ of dry residue (Borutska Yu., 2015).

The increase in mineralization and the relative content of carbonates, salts of sodium and potassium and sulfites (2) downstream of

the river is probably due to geological reasons, particularly due to the river outflows from the flysch deposits of chalk (K_{2st}) and Paleogene (P_{1jm}, P_{2mn}, P_{2vg}, P_{2bs}, P_{3ml}) and its entry into the distribution zone of saline deposits of Paleogene (N_{1vr1}).




Fig 1. Map of the chemical composition of the upper part of the river Tysmenytsia water: 1 – Na⁺+ K⁺, 2 – Ca²⁺, 3 – Mg²⁺, 4 – Cl⁻, 5 – SO₄²⁻, 6 – HCO₃⁻, M – mineralization, a – phenols, b – oil products. M in g/dm³, phenols 10n mg/dm³, other water components in mg/dm³

3.2. Changeability of nitrogen compounds content. The nitrites (NO₂⁻) of upper tributaries of the Tysmenytsia are 0.20 mg/dm³, nitrates (NO₃⁻) – 3.4 mg/dm³, ammonium ion (NH₄⁺) – 0.24 mg/dm³. In the water of the Tysmenytsia in the area above the city of Boryslav average

concentrations of nitrites (NO₂⁻) are 0.12 mg/dm³, nitrates (NO₃⁻) – 1.8 mg/dm³, ammonium ion – 0.21 mg/dm³. The mentioned concentrations do not exceed the TLV. One of the reasons for the nitrogen compounds presence in the upper reaches of the river is global and regional nitrogen

pollution of the atmosphere. In particular, in melt water from snow in this territory we have detected nitrates in the amount from 3,078 mg/dm³ to 4,012 mg/dm³ and ammonium ions in the amount from 1.05 mg/dm³ to 1,32 mg/dm³.

The increased contents of nitrogen compounds are peculiar to many European rivers and also to their upper parts. In particular, for 66% river trials of the surface and alluvial waters of the Oja and Tirón river basins in Spain do not meet the European requirements for a maximum content of NO₃⁻ (50 mg/L⁻¹) (Arauzo M., 2011).

3.3. Variability in the content of organic compounds. The upper tributaries of the river Tysmenytsia contain on average 0,66 mg/dm³ of oil products, phenols – 0,010 mg/dm³ and they are characterized by the COD value of 13,6 mgO₂/dm³. Similar characteristics have also waters of the upper part of the Tysmenytsya: oil products 0,27 mg/dm³, phenols – 0,007 mg/dm³, COD – 7,74 mgO₂/dm³. Among the natural causes for the presence of such quantities of organic substances in the waters of the upper part of the Tysmenytsia River is the drainage by the river of sediments of the Paleogene menilite suite, the rocks of which are enriched with organic substances of bituminous composition. Technogenic ones should include the drilling ground of deep oil and gas well located in the basin of upper reaches of the Tysmenytsia.

In general, the waters of the Tysmenytsia River meet the demands for the quality of surface water of the first class for the most part. However, the concentration of phenols and the amount of

chemical oxygen demand in the upper tributaries of the Tysmenytsia River and the main riverbed correspond to the second class of water quality.

According to the Emergency Classifier in Ukraine (Klasyfikator, 2010), one of the grounds for declaring a state of emergency is a 100-fold exceedance of the maximum permissible concentration of a pollutant in the water. In this aspect, in the basin of the Tysmenytsa river it is important to monitor the concentration of organic substances, especially phenols, the maximum concentration of which according to our data was 0.036 mg/dm³. This concentration exceeded the maximum permissible concentration 36 times during the period when there were no accidental spills of oil, petroleum products and other organic substances. This circumstance indicates a real danger of reaching 100 times the maximum permissible concentration in the event of an oil spill.

The research region is saturated with mining, which has already affected the surface water quality. Further development of minerals should be carried out on a new “environmentally friendly” basis (Khorolskyi A., 2019).

The established facts and the analysis of their causes are the significant scientific basis for the formation of civil protection measures and environmental safety of the studied area. They point out to the inability to use the water of the upper part of the Tysmenytsa safely for drinking water supply in case of emergency. These data are also important for estimating changes in the chemical composition of downstream waters.

Conclusions

The water of the upper part of the Tysmenytsia River and its tributaries has mineralization of 0.207-0.450 g/dm³. The upper tributaries of the Tysmenytsya are characterized on average by a calcium carbonate magnesium composition, and the waters of the main channel by sulfate-bicarbonate sodium-calcium one. The increase in mineralization and the relative content of carbonates, salts of sodium and potassium and sulfites downstream of the river is probably due to geological reasons, namely the exit of the river

from flysch deposits of chalk (K_{2st}) and Paleogene (P_{1jm}, P_{2mn}, P_{2vg}, P_{2bs}, P_{3ml}) and its entry into the distribution zone of saline deposits of the Vorotyshchyn suite of Paleogene (N_{1vr1}).

The waters of the upper part of the Tysmenytsia River on average contain nitrites (NO₂⁻) in the amount of 0.12-0.20 mg/dm³, nitrates (NO₃⁻) – 1.8-3.4 mg/dm³, ion- ammonium (NH₄⁺) – 0.21-0.24 mg/dm³, oil products – 0.27-0.66 mg/dm³, phenols – 0.007-0.010 mg/dm³ and the waters are characterized by a COD value of

7.74-13.6 mgO₂/dm³. Among the natural causes for the presence of organic liquids high content in the waters of the upper part of the Tysmenytsia is the drainage by the river of the Paleogene menilite suite sediments, the rocks of which are enriched with organic substances of bituminous composition. Technogenic causes include the oil and gas well drilling site located in the basin of the

upper Tysmenytsia River.

The studied waters correspond to the second class of water quality. The established facts and the analysis of their causes are the significant scientific basis for the formation of civil protection measures and environmental safety of the research area.

References

- Arauzo M., Valladolid M., Martíñez-Bastida J.J. Spatio-temporal dynamics of nitrogen in river-alluvial aquifer systems affected by diffuse pollution from agricultural sources: implications for the implementation of the nitrates directive. *J Hydrol.* 2011. 411(1–2):155–168
- Borutska Yu., Sakhniuk I., Telehuz O., Medvid H., Kost M. Hidroheokhimichniy analiz baseinu r. Stryi (ekolohichniy aspekt) // Heolohiia i heokhimiia horiuchykh kopalyn. 2015. № 1-2. 108-117. (in Ukrainian)
- DNVP "Heoinform Ukrainy". Elektronnyi resurs. Retrieved from <http://geoinf.kiev.ua/> (in Ukrainian)
- Ekolohichniy pasport Lvivskoi oblasti za 2018 r. 197p. – Retrieved from <https://menr.gov.ua/news/33529.html> (In Ukrainian)
- Hiletskyi Y. R. Pryrodno-heohrafichne raionuvannia Ukrainykh Karpat yak osnova optymizatsii pryrodokorystuvannia u rehioni // Naukovi visnyk Chernivetskoho universytetu. 2012, Iss. 612-613. Pp. 28-32. (In Ukrainian)
- Hirnyctvo y pidzemni sporudy v Ukrayini ta Pol'shchi (narysy z istoriyi) [Mining and underground facilities in Ukraine and Poland (Essays on History)] /Hayko H., Bilets'kyy V., Mikos' T., Khmura Ya. Donets'k: UKTsentr, Donets'ke viddilennya NTSh, «Redaktsiya hirnychoyi entsyklopediyi», 2009. 296 p. (in Ukrainian)
- Karabyn V. Hidrokhimiya holovnykh ioniv vod r. Bilyy Cheremosh [Hydrochemistry of the main ions of the Wite Cheremosh river]. Heolohiya ta heokhimiya horyuchykh kopalyn. 2013. № 1–2. Pp. 101 – 106. (in Ukrainian)
- Karabyn V.V., Rak Yu.M. Khimichniy sklad atmosferykh opadiv v okolytsiakh m. Boryslava // Zbirnyk naukovykh prats Instytutu heokhimiia navkolyshnoho seredovyscha. 2016. Vyp. 26. Pp. 41-49. (in Ukrainian)
- Karabyn, V. V. (2000) Theoretical and methodological aspects of a regional geological evaluation of the state of the environment in the areas of Intelligence and production of hydrocarbons. *Mineralni resursy Ukrainy.* 2, 11–13. (In Ukrainian)
- Khorolskyi A., Hrinov V., & Kaliushenko O. Network models for searching for optimal economic and environmental strategies for field development. *Procedia Environmental Science, Engineering and Management.* 2019. 6(3), 463–471
- Khorolskyi A., Hrinov V., Mamaikin O., & Demchenko Y. Models and methods to make decisions while mining production scheduling. *Mining of Mineral Deposits.* 2019. 13(4), 53–62. <https://doi.org/10.33271/mining13.04.053>
- Klasyfikator nadzvychainykh sytuatsii DK 019:2010. Elektronnyi resurs. Retrieved from <https://zakon.rada.gov.ua/rada/show/va4576-09-10> (in Ukrainian)
- Loboichenko V., Strelec V. The natural waters and aqueous solutions express-identification as element of determination of possible emergency situation. *Water and Energy International.* 2018. Vol. 61/RNI, № 9. P. 43-51
- Metodyka fotometrychnoho vyznachennya nitrativ z salitsylovoyu kyslotoyu v poverkhnevnykh ta biolohichno ochyshchenykh vodakh [Method photometric determination of salicylic acid nitrates in surface water and biologically treated] // KND 211.1.4.027-95.

- Kyiv: Ministerstvo okhorony navkolyshn'oho pryrodnoho seredovyscha, 1995. 10. (in Ukrainian)
- Metodyka fotometrychnoho vyznachennya nitryt-ioniv z reaktyvom Hrissa v poverkhnevyykh ta ochyshchenykh stichnykh vodakh [Methods photometric determination of nitrite ions with a reagent Hrissa surface and treated wastewater] // KND 211.1.4.023 95. Kyiv: Ministerstvo okhorony navkolyshn'oho pryrodnoho seredovyscha, 1995. 11. (in Ukrainian)
- Pavluk M., Lazaruk Ya., Karabyn V. Geochemical aspects of ecology safety of drilling of oil and gas wells in the Southern Boryslav area of Precarpatia. Geology and geochemistry of combustible minerals. 2016. 1–2, 5: 16. (In Ukrainian)
- Triska M. T., Kolodii O. I., Karabyn V. V., Popivniak I. V. Regarding the analysis of the ecological functions of the lithosphere of the Drohobych-Boryslav ring structure (based on the decoding of space images and the processing of medical data)//Visnyk Lvivskoho universytetu. Seriya heolohichna. 2004. Iss. 18. P. 256–263. (In Ukrainian)
- Uniform methods of water quality research. Directory [Unyfityrovannye metody issledovaniya kachestva vod. Spravochnik]. SЭV Ch.1. Moscow: Yzdatel'skyy otdel Upravlenyya delamy Sekretaryata SЭV, 1987. 1244. (in Russian)
- Yatsyk A. V., Byshovets L. B., Bohatov Ye. O. ta in. Mali richky Ukrainy: Dovidnyk. Kyiv: Urozhai, 1991. (In Ukrainian)