



ABSTRACT BOOK

International research
and practice conference:

NANOTECHNOLOGY AND NANOMATERIALS (NANO-2016)

24–27 August 2016
Lviv
Ukraine



Analytical description of degradation-relaxation transformations in nanoinhomogeneous spinel ceramics

Shpotyuk O.^{1,2}, Brunner M.³, Hadzaman I.⁴, Balitska V.⁵, Klym H.⁶

¹*Jan Dlugosz University in Czestochowa,
13/15, Armii Krajowej Str., Czestochowa 42200, Poland.*
E-mail: olehshpotyuk@yahoo.com

²*Vlok Institute of Physical Optics,
23, Dragomanov Str., Lviv 79005, Ukraine.*

³*Technische Hochschule Köln / University of Technology, Arts, Sciences,
2, Betzdorfer Strasse, Köln 50679, Germany.*

⁴*Drohobych Ivan Franko State Pedagogical University,
24, I. Franko Str., Drohobych 82100, Ukraine.*

⁵*Lviv State University of Vital Activity Safety,
35, Kleparivska Str., Lviv 79007, Ukraine.*

⁶*Lviv Polytechnic National University,
12, S. Bandera Str., Lviv 79013, Ukraine.*

The mathematical models of degradation-relaxation kinetics are considered for jammed soft systems possessing nanoinhomogeneous inclusions embedded in inner-phase environment. This kinetics is shown to obey an obvious non-exponential behaviour, showing characteristic stretched-to-compressed exponential transition with decrease in the porosity of dispersive medium.

At the example of bulk and thick-film spinel ceramic composites based on mixed transition-metal manganites of principally different porous structure, it is shown that stretched exponential degradation kinetics is proper to own degradation transformations in uniform one-type systems (like mono-layered thick films) [1], while suppressed exponential kinetics with non-exponentionality index more than 1.0 is character for non-uniform systems including two or more different phases.

1. *Klym H., Balitska V., Shpotyuk O., Hadzaman I.* Degradation transformation in spinel-type functional thick-film ceramic materials // *Microelectronics Reliability*, 2014. – 54. – P. 2843–2848.
2. *Shpotyuk O., Balitska V., Brunner M., Hadzaman I., Klym H.* Thermally-induced electronic relaxation in structurally-modified $\text{Cu}_{0.1}\text{Ni}_{0.8}\text{Co}_{0.2}\text{Mn}_{1.9}\text{O}_4$ spinel ceramics // *Physica B*, 2015. – 459. – P. 116–121.